



RHEINZINK America, Inc.

STANDING SEAM ROOF DETAILS


INDEX OF DRAWINGS

STANDARD DETAILS:

- SSR-1a - EAVE EDGE DETAIL - WITH GUTTER
- SSR-2a - BUILT-IN GUTTER DETAIL - OPTION 1
- SSR-3a - RIDGE / HIP DETAIL - OPTION 1
- SSR-3b - RIDGE / HIP DETAIL - OPTION 2
- SSR-4a - MONO PITCH RIDGE DETAIL - OPTION 1
- SSR-4b - MONO PITCH RIDGE DETAIL - OPTION 2
- SSR-5a - STEEP SLOPE VALLEY DETAIL - OPTION 1
- SSR-6a - MID SLOPE VALLEY DETAIL - OPTION 1
- SSR-7a - LOW SLOPE VALLEY DETAIL - OPTION 1
- SSR-8a - RAKE EDGE DETAIL - OPTION 1
- SSR-8b - RAKE EDGE DETAIL - OPTION 2
- SSR-8c - RAKE EDGE DETAIL - OPTION 3
- SSR-9 - STEEP SLOPE CROSS JOINT DETAIL
- SSR-10 - MID SLOPE CROSS JOINT DETAIL
- SSR-11 - LOW SLOPE CROSS JOINT DETAIL
- SSR-12a - ROOF TO WALL TRANSITION DETAIL - OPTION 1
- SSR-13a - SIDEWALL DETAIL - OPTION 1
- SSR-14 - SKYLIGHT SILL DETAIL
- SSR-15a - SKYLIGHT HEAD DETAIL - OPTION 1
- SSR-16 - SKYLIGHT JAMB DETAIL
- SSR-17a - VENT PIPE PENETRATION DETAIL - OPTION 1
- SSR-17b - VENT PIPE PENETRATION DETAIL - OPTION 2
- SSR-18 - PANEL PROFILE & CLIP DETAIL

CUSTOM DETAILS:

- SSR-1b - EAVE EDGE DETAIL - WITH GUTTER
- SSR-1c - EAVE EDGE DETAIL - WITHOUT GUTTER
- SSR-2b - BUILT-IN GUTTER DETAIL
- SSR-3c - RIDGE / HIP DETAIL
- SSR-4c - MONO PITCH RIDGE DETAIL
- SSR-5b - STEEP SLOPE VALLEY DETAIL
- SSR-6b - MID SLOPE VALLEY DETAIL
- SSR-7b - LOW SLOPE VALLEY DETAIL
- SSR-12b - ROOF TO WALL TRANSITION DETAIL
- SSR-13b - SIDEWALL DETAIL
- SSR-15b - SKYLIGHT HEAD DETAIL



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.


PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	EAVE EDGE - WITH GUTTER - OPT. 1	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-1a



NOTES:

1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.

 Website: www.rheinzink.com E-mail: info@rheinzink.com	
INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.	
PROJECT:	STANDING SEAM ROOF DETAILS
DATE:	09-2024
DRAWING TITLE:	EAVE EDGE - WITH GUTTER - OPT. 2
SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET: SSR-1b



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	EAVE EDGE - WITHOUT GUTTER	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-1c



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	BUILT-IN GUTTER DETAIL - OPT. 1	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-2a



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.


PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	BUILT-IN GUTTER DETAIL - OPT. 2	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-2b



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.


	
Website: www.rheinzink.com E-mail: info@rheinzink.com	
INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.	
PROJECT:	STANDING SEAM ROOF DETAILS
DRAWING TITLE:	RIDGE / HIP DETAIL - OPT. 1
DATE:	09-2024
SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET: SSR-3a



NOTES:

1. STANDING SEAM PANELS REQUIRE A MIN. OF 3:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
4. MAX. 4" - NON-SUPPORTED RIDGE CAP - SUPPORT NEEDED FOR WIDTHS GREATER THAN 4"

	
Website: www.rheinzink.com E-mail: info@rheinzink.com	
INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.	
PROJECT:	STANDING SEAM ROOF DETAILS
DATE:	09-2024
DRAWING TITLE:	RIDGE / HIP DETAIL - OPT. 2
SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET: SSR-3b



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
4. ON LOWER PITCHED ROOF - MIN 2" SEAM ON RIDGE



Website: www.rheinzink.com E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.


PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	RIDGE / HIP DETAIL - OPT. 3	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-3c



NOTES:

1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.

 Website: www.rheinzink.com E-mail: info@rheinzink.com			
<small>INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.</small>			
PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	MONO PITCH RIDGE DETAIL - OPT. 1	SCALE:	N.T.S.
<small>COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.</small>		SHEET:	SSR-4a



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.


PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	MONO PITCH RIDGE DETAIL - OPT. 2	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-4b



NOTES:

1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
4. THIS DETAIL MAY ONLY BE USED ON A ROOF PITCH OF 4:12 OR GREATER.

 Website: www.rheinzink.com E-mail: info@rheinzink.com		
<small>INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.</small>		
PROJECT:	STANDING SEAM ROOF DETAILS	DATE: 09-2024
DRAWING TITLE:	MONO PITCH RIDGE DETAIL - OPT. 3	SCALE: N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET: SSR-4c



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	STEEP SLOPE VALLEY DET. - OPT. 1	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-5a



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	STEEP SLOPE VALLEY DET. - OPT. 2	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-5b



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.


PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	MID SLOPE VALLEY DET. - OPT. 1	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-6a



NOTES:

1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.

	
Website: www.rheinzink.com E-mail: info@rheinzink.com	
INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.	
PROJECT:	STANDING SEAM ROOF DETAILS
DATE:	09-2024
DRAWING TITLE:	MID SLOPE VALLEY DET. - OPT. 2
SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET: SSR-6b



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	LOW SLOPE VALLEY WALL - OPT. 1	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-7a



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	LOW SLOPE VALLEY WALL - OPT. 1	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-7b



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	RAKE EDGE DETAIL - OPT. 1	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-8a



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	RAKE EDGE DETAIL - OPT. 2	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-8b



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
- 3.) RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	RAKE EDGE DETAIL - OPT. 3	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-8c



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 6:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	STEEP SLOPE CROSS JOINT DETAIL	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-9



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 3:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	MID SLOPE CROSS JOINT DETAIL	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-10



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 2:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.


PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	LOW SLOPE CROSS JOINT DETAIL	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-11



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.


 Website: www.rheinzink.com E-mail: info@rheinzink.com	
INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.	
PROJECT:	STANDING SEAM ROOF DETAILS
DATE:	09-2024
DRAWING TITLE:	ROOF TO WALL TRANS. - OPT. 1
SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET: SSR-12a



NOTES:

1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.

 Website: www.rheinzink.com E-mail: info@rheinzink.com	
<small>INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.</small>	
PROJECT:	STANDING SEAM ROOF DETAILS
DRAWING TITLE:	ROOF TO WALL TRANS. - OPT. 2
DATE:	09-2024
SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET: SSR-12b



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	SIDEWALL DETAIL - OPT. 1	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-13a



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com


INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.


PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	SIDEWALL DETAIL - OPT. 2	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-13b



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.


	
Website: www.rheinzink.com E-mail: info@rheinzink.com	
INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.	
PROJECT:	STANDING SEAM ROOF DETAILS
DRAWING TITLE:	SKYLIGHT SILL DETAIL
DATE:	09-2024
SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET: SSR-14



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.


 Website: www.rheinzink.com E-mail: info@rheinzink.com	
INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.	
PROJECT:	STANDING SEAM ROOF DETAILS
DATE:	09-2024
DRAWING TITLE:	SKYLIGHT HEAD DETAIL - OPT. 1
SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET: SSR-15a



NOTES:

1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.

 Website: www.rheinzink.com E-mail: info@rheinzink.com	
INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.	
PROJECT:	STANDING SEAM ROOF DETAILS
DATE:	09-2024
DRAWING TITLE:	SKYLIGHT HEAD DETAIL - OPT. 2
SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.	SHEET: SSR-15b



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	SKYLIGHT JAMB DETAIL	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-16



NOTES:


1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	VENT PIPE PENETRATION - OP. 1	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-17a



NOTES:

1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.
4. PENETRATION MUST BE PANNED IF PIPE FALLS AT JOINT / RIB




Website: www.rheinzink.com E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.


PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	VENT PIPE PENETRATION - OP. 2	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-17b

GENERAL NOTES:


1. ALL DIMENSIONS ARE INCHES OR FRACTIONS THEREOF.
2. MATERIAL .7mm OR .8mm RHEINZINK PREWEATHERED TITANIUM ZINC.




DOUBLE LOCK
STANDING
SEAM
SLOPE > 3°
(5/8:12)




ANGLED
STANDING SEAM
SLOPE > 25° (6:12)
SLOPE > 35° (9:12) IN
AREAS OF HIGH
SNOW



DOUBLE
ANGLED
STANDING
SEAM
SLOPE > 25°
(6:12)



ROLL CAP - 2"
SEAM HEIGHT
SLOPE > 5°
(1:12)



NOTES:

1. STANDING SEAM PANELS REQUIRE A MIN. OF 5/8:12 SLOPE.
2. STANDING SEAM PANEL SYSTEMS REQUIRE AIR-Z OR ENKAMAT (7008 OR 7010); SEE REQUIREMENTS BASED ON SLOPE.
3. RHEINZINK RECOMMENDS STAINLESS STEEL FASTENERS AND CLIPS.



Website: www.rheinzink.com E-mail: info@rheinzink.com

INFORMATION AND DETAILS HEREIN ARE ONLY A BASELINE FOR SYSTEM DESIGN AND INSTALLATION. MODIFICATION TO MEET PROJECT REQUIREMENTS IS THE RESPONSIBILITY OF THE DESIGNER AND ARCHITECT. RHEINZINK AMERICA STAFF ARE AVAILABLE TO ASSIST THE DESIGNER AND ARCHITECT IN THIS PROCESS. RHEINZINK AMERICA MAKES NO REPRESENTATIONS AND WARRANTIES OTHER THAN THOSE EXPRESSED HEREIN.

PROJECT:	STANDING SEAM ROOF DETAILS	DATE:	09-2024
DRAWING TITLE:	PANEL PROFILE & CLIP DETAIL	SCALE:	N.T.S.
COPYRIGHT RESERVED. THIS DRAWING REMAINS THE PROPERTY OF RHEINZINK.		SHEET:	SSR-18